

**Norbert Benda – List of Publications**

- Benda N** (1988). *Robuste Parameterschätzung unter verschiedenen Ausreißermodellen*. Diploma Thesis. Technical University Aachen (RWTH Aachen). Diplomarbeit
- Benda N** (1992). *Optimierung von Versuchsplänen bei unterschätzter Wirkungsfunktion im linearen Experiment*. PhD Thesis. Free University of Berlin. Doktorarbeit
- Wabbels B, Schiefer U, Treutwein B, **Benda N**, Stercken-Sorrenti G (1995). Automated perimetry with bright and dark stimuli, *German J. Ophthalmol.* 4, 217-221.
- Benda N** (1996). Pre-test Estimation and Design in the Linear Model. *Journal of Statistical Planning and Inference* 52, 225-240.
- Schiefer U, **Benda N**, Stercken-Sorrenti G, Dietrich TJ, Friedrich M (1996). Fundus-orientierte Perimetrie. Evaluation eines neuen Gesichtsfeld-Untersuchungsverfahrens bezüglich der Detektion von Angioskotomen. *Klin. Monatsbl. Augenheilkd.*, 208, 62–71.
- Luft D, Lay A, **Benda N**, Kort C, Hofmann V, Hardin H, Renn W (1996). Pain Intensity and Blood Pressure Reactions During a Cold Pressor Test in IDDM Patients. *Diabetes Care*, 7, 722-725.
- Bruck B, Brehm U, Gugel N, Hanke S, Lutz C, **Benda N**, Schmahl FW, Haasis R, Hanke H (1997). Gender Specific Differences in the Effekt of Testosterone and Estrogen in the Development of Atherosclerosis in Rabbits. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 17, 2192-2199.
- Schiefer U, Stercken-Sorrenti G, Dietrich TJ, **Benda N** (1997). Fundus oriented perimetry (F.O.P.) – A new concept increasing efficiency of visual field examination. In: Wall M and Heijl A (Edts.): *Perimetry Update 1996/1997*. Kugler Publications: Amsterdam/New York, 107-109.
- Benda N**, Dietrich TJ, Schiefer U (1997). Fitting Angioscotomas. In: Wall M and Heijl A (Edts.): *Perimetry Update 1996/1997*. Kugler Publications: Amsterdam/New York, 207-210.
- Haber HP, **Benda N**, Fitzke G, Lang A, Langenberg M, Riethmüller J, Stern M (1997). Colon wall thickness measured by ultrasound: Striking differences in cystic fibrosis patients versus healthy controls. *Gut*, 40, 406-411.
- Bader P, Hölle W, Klingebeitl T, Handgretinger R, **Benda N**, Schlegel PG, Niethammer D, Beck J (1997). Mixed hematopoietic chimerism after allogeneic bone marrow transplantation: the impact of quantitative PCR analysis for prediction of relapse and graft rejection in children. *Bone Marrow Transplantation*, 19, 697-702.
- Benda N**, Schwabe R (1998). Designing Experiments for Adaptively Fitted Models. In: Atkinson AC, Pronzato L and Wynn HP (Edts.): *MODA 5 – Advances in Model-Oriented Data Analysis*. Physica: Heidelberg, 165-175.
- Topka H, Massaquoi SG, **Benda N**, Hallett M (1998). Motor Skill Learning in Patients with Cerebellar Degeneration. *Journal of the Neurological Sciences* 158, 164-172.
- Franz HBG, **Benda N**, Gonser M, Bäckert IT, Jehle EC (1998). Klinische Auswirkungen der Geburt mit medianer Episiotomie und analer Sphinkterverletzung auf die Stuhlinkontinenz bei Primiparae. *Zentralblatt für Chirurgie* 123, 218-223.
- Bader P, Beck J, Frey A, Schlegel PG, Hebarth H, Handgretinger R, Einsele H, Niemeyer C, **Benda N**, Faul C, Kanz L, Niethammer D, Klingebiel T (1998). Serial and quantitative analysis of mixed hematopoietic chimerism by PCR in patients with acute leukemias allows the prediction of relapse after allogeneic BMT. *Bone Marrow Transplant.* 21, 487-95.

- Enderle MD, **Benda N**, Schmülling RM, Haering HU, Pfohl M (1998). Preserved endothelial function in IDDM patients, but not in NIDDM patients, compared with healthy subjects. *Diabetes Care* 21, 271-277.
- Pfohl M, Athanasiadis A, Koch M, Clemens P, **Benda N**, Haring HU, Karsch KR (1998). Insertion/deletion polymorphism of the angiotensin I-converting enzyme gene is associated with coronary artery plaque calcification as assessed by intravascular ultrasound. *J Am Coll Cardiol* 31, 987-91.
- Maisch C, Hofmann V, **Benda N**, Luft D (1998). Evaluation of polarographic measurements of basal muscle oxygen tension in type I diabetic patients. *Angiology* 49, 203-210.
- Benda N**, Schiefer U, Dietrich TJ (1999). Models for the description of angioscotomas. *Vision Research* 39, 1889-1896.
- Schiefer U, **Benda N**, Dietrich TJ, Selig B, Hofmann C, Schiller J (1999). Angioscotoma detection with fundus-oriented perimetry – A study with dark and bright stimuli of different sizes. *Vision Research* 39, 1897-1909.
- Dietrich TJ, Ata N, Sängler A, Selig B, Schiefer U, **Benda N** (1999). Age influences asymmetry in differential luminance sensitivity. In: Wall M and Heijl A (Edts.): *Perimetry Update 1998/1999*. Kugler Publications: Amsterdam/New York, 223-227.
- Mielke G, **Benda N** (2000). Reference ranges for two-dimensional echocardiographic examination of the fetal ductus arteriosus. *Ultrasound in Obstetrics and Gynecology* 15, 213-218.
- Mielke G, **Benda N** (2000). Blood flow velocity waveforms of the fetal pulmonary artery and the ductus arteriosus: Reference ranges from 13 weeks to term. *Ultrasound in Obstetrics and Gynecology* 15, 219-225.
- Mielke G, **Benda N** (2001). Cardiac output and central distribution of blood flow in human fetus. *Circulation* 103, 1662-1668.
- Lutz S, Dietrich TJ, **Benda N**, Selig B, Strasburger H, Schiefer U (2001). An explicit no response instead of time-out in automated visual-field testing. *Graefes Arch Clin Exp Ophthalmol* 239, 173-181.
- Schwabe R, **Benda N** (2001). Adaptive Planung und Analyse in “Forced-Choice”-Experimenten. *Informatik, Biometrie und Epidemiologie in Medizin und Biologie* 32, 287-288.
- Benda N** (2001). Umgang mit Daten unterhalb einer Nachweisgrenze. In: Kaufmann J and Weiß H (Edts.): *Statistische Methoden in der empirischen Forschung*. Schering AG, Berlin, 25-26.
- Benda N**, Gerlinger C, van der Meulen E, and Endrikat J (2004). Sample size calculation for clinical studies on the efficacy of a new contraceptive method. *Biometrical Journal* 46, 141-150.
- Entholzner M, Schmelter T, **Benda N**, Schwabe R (2005). A note on designs for estimating population parameters. *Biometrical Letters* 41, 25-41.
- Röhmel J, Gerlinger C, **Benda N**, Läuter J (2006). On testing simultaneously non-inferiority in two multiple primary endpoints and superiority in at least one of them. *Biometrical Journal* 48, 916-933.
- Schmelter T, **Benda N**, Schwabe R (2007). Some curiosities in optimal designs for random slopes. In: J. Lopez-Fidalgo, J. M. Rodriguez-Diaz and B. Torsney (Eds.): *MODA 8 - Advances in Model-Oriented Design and Analysis*. Physica: Heidelberg. 189-195.
- Benda N**, Gerlinger C (2007). Sperm count as a surrogate endpoint for male fertility control. *Statistics in Medicine* 26, 4905-4913.

**Benda N**, Branson M, Maurer W, Friede T (2009). Clinical Scenario Evaluation – A framework for evaluating competing development strategies. *Drug: Development* 4, 84-88.

**Benda N** (2010). Model-based approaches for time dependent dose finding with repeated binary data. *Statistics in Medicine* 29, 1096-1106.

**Benda N**, Branson M, Maurer W, Friede T (2010). Modernizing drug development using clinical scenario planning and evaluation. *Drug Information Journal* 44, 299-315.

Akacha M, **Benda N** (2010). The impact of dropouts on the analysis of dose-finding studies with recurrent event data. *Statistics in Medicine* 29, 1635-1646.

**Benda N**, Brannath W, Bretz F, Burger HU, Friede T, Maurer W, Wang SJ (2010). Perspectives on the use of adaptive designs in clinical trials: Part II. Panel Discussion. *Journal of Biopharmaceutical Statistics* 20, 1098-1112.

**Benda N**, Bender R (2011). Multiplicity Issues in Clinical Trials. *Biometrical Journal* 53, 873-874. (Editorial)

Leuchs AK, Zinserling J, Berres M, Neuhäuser M, **Benda N** (2013). Estimation of the treatment effect in the presence of noncompliance and missing data. To appear in *Statistics in Medicine*.

Dette H, Kiss C, **Benda N**, Bretz F (2014). Optimal designs for dose finding studies with an active control (Discussion Paper SFB 823, 37/2011. University of Dortmund). To appear in *Journal of the Royal Statistical Society, Serie B*.