

**Urgent safety information concerning  
the glass capillary tubes of the CRP tests**  
**Article numbers: 311003/311003ME-10/311004/311006/311004MD/311003P**  
**LOTs: 163115/163188/163417/163418**

---

Moers, 15.05.2015

To all users and distributors of the following *in vitro* diagnostic agents!

Description: Included capillary tubes of the CRP tests  
Article numbers: 311003/311004/311006/311004MD/311003P  
LOTs / batches: 163115/163188/163418

**Case description:**

Dear customer,

This urgent safety notice concerns the capillary tubes for sampling, which are components of the CRP tests. For the above mentioned LOTs, in the case of strong mechanical stress (strong shaking), breakage or splintering of the glass capillary tubes can occur. There is a risk of injury due to the potential for sharp-edged fragments.

**Measures:**

- Do not use the included capillary tubes. You will automatically receive compensation for the affected capillaries.
- Please confirm receipt of this notice within 10 days, by filling out the enclosed verification form and fax it back to us. (Please confirm receipt of this notice by faxing the form, even if the inventory of the affect product has already been exhausted, or if you do not have an affected product.)

Please make sure that all users of the product receive a copy of the urgent field safety notice.

For further information please contact your nal von minden representative or use the contact details below.

**nal von minden GmbH**

Carl-Zeiss-Straße 12  
47445 Moers  
Deutschland

Fon: +49 (941) 29010-0  
Fax: +49 (941) 29010-50

Friedenstraße 32  
93053 Regensburg  
Deutschland

info@nal-vonminden.de  
www.nal-vonminden.de

Geschäftsführer:  
Sandra von Minden  
Roland Meißner  
Thomas Zander

Registergericht Klevve:  
HRB 5679  
Steuer-Nr.: 244/133/00130  
UST-ID-Nr. DE 189 016 086

**Sparkasse Regensburg**  
BLZ 750 500 00  
Kto. 8400 170 73

Schnelltests

Labordiagnostika

Laborservice

Beratung & Service

Please make sure that all users of the above product at your organisation are aware of this **urgent field safety notice**. If you have passed the products to third parties, then please forward a copy of this information, or inform the below mentioned representative. Please keep this information until the action has been completed. The relevant supervisory authority has received a copy of this urgent field safety notice. We apologise for any inconvenience caused.

Best Regards,

██████████  
Safety Officer

nal von minden GmbH  
Carl-Zeiss-Str. 12  
47445 Moers  
Deutschland  
Tel.: +49 2841 99 820 – 0  
Fax: +49 2841 99 820 – 1  
E-Mail: ██████████@nal-vonminden.com

**nal von minden GmbH**

Carl-Zeiss-Straße 12  
47445 Moers  
Deutschland

Friedenstraße 32  
93053 Regensburg  
Deutschland

Fon: +49 (941) 29010-0  
Fax: +49 (941) 29010-50  
info@nal-vonminden.de  
www.nal-vonminden.de

Geschäftsführer:  
Sandra von Minden  
Roland Meißner  
Thomas Zander

Registergericht Kleve:  
HRB 5679  
Steuer-Nr.: 244/133/00130  
UST-ID-Nr. DE 189 016 086

**Sparkasse Regensburg**  
BLZ 750 500 00  
Kto. 8400 170 73

Schnelltests

Labordiagnostika

Laborservice

Beratung & Service

### Customer confirmation

By signing, you confirm the urgent field safety notice,

Description: Included capillary tubes of the CRP tests  
Article number: 311003/311004/311006/311004MD/311003P  
LOT / batch: 163115/163188/163418

and have taken note of the information included.

The concerned capillaries have been destroyed.

Date: \_\_\_\_\_

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Full address (Stamp):

### Please return to:

Ms. [REDACTED] n  
Fax: +49 2841 99 820 – 1  
E-Mail: [REDACTED]@nal-vonminden.com

### nal von minden GmbH

Carl-Zeiss-Straße 12  
47445 Moers  
Deutschland

Fon: +49 (941) 29010-0  
Fax: +49 (941) 29010-50

Friedenstraße 32  
93053 Regensburg  
Deutschland

info@nal-vonminden.de  
www.nal-vonminden.de

Geschäftsführer:  
Sandra von Minden  
Roland Meißner  
Thomas Zander

Registergericht Kleve:  
HRB 5679  
Steuer-Nr.: 244/133/00130  
UST-ID-Nr. DE 189 016 086

**Sparkasse Regensburg**  
BLZ 750 500 00  
Kto. 8400 170 73

Schnelltests

Labordiagnostika

Laborservice

Beratung & Service